

TOLLYCRAFT
57' COCKPIT
MOTOR YACHT



STANDARD EQUIPMENT

PROPULSION

Twin 665 hp 8V183 TB92 MTU Diesel (FWC)

HARDWARE & MISCELLANEOUS EXTERIOR ITEMS

Anchor, Davis 60S w/200' chain, chocks & deck pipe

Anchor, Windlass w/power up & down [controls at bow & bridge helm]

Bow & stern staffs

Bow pulpit, fiberglass, w/roller

Cleats: 2 bow, 2 stern, 4 springline

Deck lights, 12 volt

Electrolysis bonding system

Feature stripes: cabin, bridge & boat

Gunwale guard, stainless steel

Handrails & rail fittings, 316L, stainless steel

Hardware, stainless steel & chromed brass

Horn, compressor type

Radar arch

Shaft storage tube

Stainless steel grabrail above salon windows

Trim tabs, dual station

Washdown pump (raw water outlet forward, fresh water outlet aft)

ENGINE ROOM & BILGES

Belt covers, engines

Bilge blowers, 4" (2)

Bilge pumps, automatic (5)

Common drainage system for sinks, showers & decks, transom discharge

Dockside telephone/television receptacle, port or starboard

w/interior outlets, phone (6), tv (2)

Fire extinguishing system (halon)

Fuel tank crossover for port or starboard fueling

Fuel—water separating filters (Racor), engines & generator

Fuel & water level indicators

Generator, 8.0 kw Onan w/sound shield & battery

Generator, 20kw diesel (FWC), w/sound shield

High water alarm, bilge

Hullside pressure water inlet (port & starboard)

Intake water valves (ball valve)

Lights, 12 volt, fluorescent

Mufflers, engines & generator

Propeller shafts, 2½" stainless steel (Aquamet Z2)

Rudders, stainless steel post & molded urethane

Sewage holding tanks w/12 volt macerator, pump for waterline discharge, deck discharge & "Y" valves

Shorepower receptacle, 50 amp, 240 volt (2), 120 volt (1), port & starboard, with 3 cords

Sound insulation

Strainers, intake water, engines & generator

Struts, bronze w/Cutlass bearings

Twin diesel fresh water-cooled engines w/marine gears, adjustable engine mounts & heavy duty alternators

ELECTRICAL SYSTEM & COMPONENTS

Alarm system, audio: temperature & oil

Batteries, (heavy duty) (4), 12 volt, Main engines: (2) 12 volt, generators

Battery chargers, 80 amp (2)

Battery isolator

Battery switches

Electrical distribution & control panels w/magnetic circuit breakers, generator, hour meter, amp & volt meters & battery condition indicator (12V, 120V, 240V)

Lights, 12 volt & 120 volt

Navigation lights, 12 volt

Outlets, 120 volt, duplex

Phone intercom system, 6 stations

Pressure water system & water heater, w/120 volt & heat exchanger (30 gal)

SALON

Cabinet/wet bar & entertainment center

buft w/storage & 19" color tv, vcr, component stereo system, speakers (4) salon, (2) pilothouse

Carpet w/pad

Door, wing, forward portside onto side deck

Doors, aft bulkhead, sliding aluminum

Interior woodwork: teak

Lights, indirect & direct w/local switching

Mini blinds w/lined drapery panels

Settee, built in, curved

Valance boards

GALLEY

Dish cabinets

Dishwasher, 120 volt

Draperies, lined w/valance boards

Drawers

Garbage disposal, galley

Instant hot water dispenser, galley

Interior woodwork: teak

Lights, indirect & direct w/local switching

Microwave oven, overhead galley

Mini blinds

Range, 4 burner w/oven & vent hood

Refrigerator/freezer, 120 volt

Sink, stainless steel

Teak parquet sole

Trash compactor, galley

Under cabinet lighting in galley

PILOTHOUSE

Carpet w/pad

Circular staircase down to staterooms

Control station, lower helm w/hydraulic steering, MMC electronic clutch and throttle controls, full instrumentation, engine hour meters, compass, rudder angle indicator, windshield wipers & electronics mounting panel

Dinnette, raised

Door, sliding, starboard side w/screen

Draperies, lined w/valance boards

Drawer for charts

Emergency shutdown

Interior decor: teak & wall coverings

Lights, indirect & direct, w/local switching

Mini blinds

Pilothouse pantry locker starboard side w/shelf storage & drawers

Windlass control at pilothouse

Windshield defroster

MASTER STATEROOM

Accent pillows, shams, bedspread

Carpet w/pad

Chest of drawers & drawers under berth

Draperies, lined w/valance boards

Hanging lockers

Interior decor: teak & wall coverings

Lights, indirect & direct, w/local switching

Portlights w/screens (6), stainless steel

Queen size berth, w/polyfoam/dacron mattress

Vanity w/stool

GUEST STATEROOM

Accent pillows, shams, bedspread

Carpet w/pad

Deck hatch w/screen

Draperies, lined w/valance boards

Drawers

Hanging lockers

Interior decor: teak & wall coverings

Lights, w/local switching

Portlight w/screen, stainless steel

Twin berths, w/polyfoam/dacron mattresses

FORWARD GUEST STATEROOM

Accent pillows, shams, bedspread

Carpet w/pad

Chain locker in forepeak w/door, mirrored

Chest of drawers, under queen size berth

Deck hatch w/screen

Draperies, lined w/valance boards

Hanging lockers

Interior decor: teak & wall coverings

Lights, indirect & direct, w/local switching

Portlights, w/screens, stainless steel

Queen size berth, w/polyfoam/dacron mattress

HEADS

Cabinet w/drawers

Carpet w/pad

Countertops & sinks, marbleized

Draperies, lined, w/valance boards

Grohe "Relaxa" shower system w/temperature regulation

Heads, VacuFlush

Holding tank level indicator

Lights, w/local switching

Portlights, w/screens, stainless steel

Power ventilator

Showers w/molded seats, w/auto drain pump & privacy doors

Towel bars, paper holders & soap dishes

MISCELLANEOUS INTERIOR EQUIPMENT

Central vacuum system

Countertops, high pressure laminate

Decor: decorator coordinated

Full draperies salon, pilothouse & galley

Headliner

Mirrors

Outlets, duplex 120 volt

Owner's manual w/case

Washer & dryer (stack units)

Windows, tinted safety glass w/screens

AFT DECK

Cockpit storage lockers

Engine room access door

Hatch adjuster (gas assist)

Insulated fish boxes w/macerator pump out (2)

Ladder, cockpit to aft bridge deck

Transom door

BRIDGE

Bridge bench seating

Control station, upper helm, w/hydraulic steering, MMC electronic clutch & throttle controls, rudder angle indicator, full instrumentation & compass

Deck lights, 12 volt

Low profile Davit arm w/12 volt winch

Pilot seats, (2) pompante

Safety railings

Weather covers for pilothouse windshield, bridge bench seat, pilot seats (black)

Windshield, tinted plexiglass



mtu

Financing Available Through
Mercedes-Benz Credit Corporation

OPTIONAL EQUIPMENT

BASE BOAT (POWER)

\$

ENGINES

- Twin 550 hp 6V92TA Detroit Diesel (FWC) ☐
- Twin 735 hp 8V92TA Detroit Diesel (FWC) ☐
- Twin 760 hp 8V92TA Detroit Diesel (FWC) ☐
- DDEC ☐

MECHANICAL

- A-2 Bow thruster ☐
- A-10 Electrical outlet (120 volt) interior or exterior (w/ground) ☐
- A-20 Fault interrupter (specify location) ☐
- A-13 Furnace, Espar (diesel) ☐
- A-13 Glenndinning cablemaster, cockpit ☐
- A-9 Grid for single side band in hull ☐
- A-29 Generator, (additional) 12.5 kw diesel (exchange) ☐
- A-30 Instrument panels, mechanical, engine room (for main engines) ☐
- A-5 Oil change system for main engines & generator(s) ☐
- A-31 Propellers, extra set ☐
- A-34 Propeller shaft, extra w/coupling ☐
- A-41 Synchronizers, dual station ☐
- A-47 TV outlets, additional ☐
- A-44 Wire & plumbing only for watermaker ☐

EXTERIOR

- B-23 Sony AM/FM cassette w/2 speakers on bridge ☐
- B-13 Bait center cabinet, fiberglass ☐
- B-11 Cockpit boarding steps (ladder) ☐
- B-25 Cockpit control station, includes start stop switches, MMC electronic clutch & throttle controls & rudder angle indicator ☐
- B-32 Docking lights (Morse), 12 volt, dual station ☐
- B-15 Freezer (requires option B-13) ☐
- B-14 Live baitwell (requires option B-13) ☐
- B-17 Refrigerator (requires option B-13) ☐
- B-44 Searchlight w/remote control, dual station, 10" ☐
- B-9 Teak caprail, cockpit & salon side decks ☐
- B-12 Teak cockpit sole ☐
- B-10 Transom step, swim ladder ☐
- B-47 Trash compactor (requires option B-13) ☐
- B-49 Wetbar w/icemaker (bridge) ☐
- B-50 Wetbar with 110 volt/12 volt refrigerator (bridge) ☐

INTERIOR

- C-10 Air conditioning, reverse cycle (Lunaire) (69,000 btus) ☐
- C-13 Sony AM/FM stereo cassette w/speakers ☐
- C-14 Sony AM/FM compact disc w/2 speakers, each (specify stateroom) ☐
- C-16 Barrel chair (upholstered) ☐
- C-33 Handrail, overhead, pilothouse (teak) ☐
- C-34 Heater, 120 volt each (specify location) ☐
- C-37 Hi-lo cocktail/dining table (teak) ☐
- C-40 Icemaker, 120 volt, salon ☐
- C-39 L-settee w/hide-a-bed, main salon (replaces curved settee) ☐
- C-45 Pilothouse helm seat, Zwaardvis ☐
- C-52 Solid surface polymer countertops, galley ☐
- MISCELLANEOUS
- E-1 Tollycraft commissioning mandatory (at dealer's location) ☐
- E-19 Install transducer or other thru hull ☐
- E-30 Water delivery, Kalama, WA (includes Tollycraft commissioning) ☐
- E-20 Install customer supplied radar cable ☐

DECOR OPTIONS

Standard:

- Atlantis ☐ No charge
- Calypso ☐ No charge
- Champagne ☐ No charge
- Warm Shadow ☐ No charge
- Custom:
- Cinnabar ☐
- Coriander ☐
- Gentian ☐
- Indigo ☐
- Jet ☐

OPTIONS SUB-TOTAL

\$

BASE BOAT PRICE

\$

TOTAL PRICE

\$

LESS DEPOSIT

\$

BASE BOAT DUE

\$

Tollycraft Yachts Corp. reserves the right to make changes in standard or optional equipment at any time without notice or obligation and to alter models previously manufactured.

No changes in equipment will be accepted after the boat has been placed into production. All boats are considered in production four weeks before hull lay-up. (Changes requested after this time will be accomplished after boat's completion and charged out at time and material cost.) Tollycraft reserves the right to refuse any change due to excessive tear-out and rebuild time.

All Tollycraft boats meet the requirements of the NMMA Yacht Certification Program and carry a limited 10-Year Transferable Hull Warranty.

For a copy of Tollycraft Yachts complete warranty, contact your nearest Tollycraft dealer.

SPECIFICATIONS

Centerline Length:		
Bow to Transom	57'0"	17.37 m
Bow Pulpit & Transom Step	63'7"	19.47 m
Beam	16'11"	5.16 m
Freeboard:		
Forward	96"	2.44 m
Aft	75"	1.42 m
Height Above Waterline:		
Top of Windshield	13'10"	4.22 m
Top of Arch	16'3"	4.95 m
Draft	42"	1.07 m
Fuel Capacity	1,200 Gal.	4,656 l
Water Capacity	280 Gal.	1,060 l
Holding Tank Capacity	130 Gal.	4,921 l
Weight: Avg. Displacement	58,000 lbs.	26,364 kg
Cabin Headroom	6'3"-6'6"	1.90-1.98 m
Cockpit Area	125 sq. ft.	11.3 sq. m
Sleeping Accommodations	6-8	6-8



Tollycraft Yachts Corp.
2200 Clinton Avenue, Kelso, Washington 98626
Phone (206) 423-5160 FAX (206) 423-2607

Owning a 53', 57' or 61' Tollycraft yacht carries with it certain interior design privileges. We give you greater opportunity to customize the interiors to make the end result as impeccable as your taste.

We begin by offering you a choice of nine interior design plans, then complete them with your selection of materials, colors and finishes.

And we give you a veritable gallery from which to select. A spectrum of colors. World-class quality materials—from traditional wools and natural cottons to new age materials, metals and layered patterns. Finishes can be iridescent, pearlized or oxidized. Or rich, hand rubbed woods and leathers.

To be sure it all comes together to create precisely the private world of comfort and luxury you deserve, we will make arrangements for your personal visit to our finishing chambers.